2019

INDOOR AIR QUALITY SPECIALISTS





CATALOG RODUCT

EQUIPMENT

TURBOJET SUPERMAX

Our Turbolet SUPERMAX has the power of 2 motors but uses a single 3 horsepower motor to dean large commercial air systems with ease.

The TurboJet SUPERMAX negative air machine is a compact workhorse for commercial duct cleaning, but it's also portable enough for residential jobs. It's hard to believe a 22.5" wide cabinet can provide 3500 CFM and over 6" static pressure, a full-size 12" inlet, 3-stage HEPA filtration, soft start and will run at 13 or 18 amps on a single circuit at 1.5 horsepower or two separate circuits at 3 horsepower. It comes with a 3 year limited warranty. It only weighs 26 pounds more than our 1.5 HP TurboJet, but has TWICE the Horsepower.

This is performance that is found in units twice its size and weight. The legendary performance and size of this type of machine has been proven aboard ships and off-shore drilling rigs, as well as mobile homes and 6,000 room hotels, and yet it is perfect for a one person operation out of a van, trailer or box truck. The TurboJet SUPERMAX has a state of the art ESP speed control not found on any other TurboJet's, until now. The power inverter converts power from 1 or 2, independent, 115-volt single-phase household power to 3-phase 220-volt power. This eliminates the start-up power surge required by a single speed motor.

FEATURES:

- Truly portable at 151 lbs and only 22.5"w x 31.5"d x 55.5"h.
 - •One-person operation, in and out of service vehicle and up and down stairs.
 - 4 speed soft start 3.0 HP motor w/ 3 phase inverter and direct drive backward incline blower assembly.
 - Filtration includes 1st stage 18" x 24" x 2" disposable pleated filter, 2nd stage 18" x 24" flexible permanent electrostatic air filter and 3rd stage 18" x 24" x 6" certified HEPA filter, providing efficient filtration with maximum air flow even when dirty.
 - •12 inch diameter inlet pulls over 5 inches of w.c. Static pressure, and 3,500 CFM air flow (independently tested by an AMCA certified lab with all filters installed).
 - •12" rear, non-marking dolly wheels, 4" locking swivel non-marking casters up front.
 - Rugged steel reinforced, rotationally molded, 2-piece poly cabinet with stairwell friendly design.
 - Completely field tested by Air-Care, in our service division.
 - Purchase includes 3-year limited warranty.

FG0130

TURBOJET MAX II

The Turbolet Max II combines power and portability with enough power to dean light commercial air systems, yet has the portability to dean all residential air systems too.

The TurboJet Max II negative air machine is a compact workhorse for residential and light commercial duct cleaning. It's hard to believe a 22.5" wide cabinet can provide 2700 CFM at 5" static pressure, a full-size 12" inlet, 3-stage HEPA filtration, soft start and will run at 13 or 17 amps and has a 3 year limited warranty. This is performance that is found in units twice its size and weight. The legendary performance and size of this type of machine has been proven aboard ships and off-shore drilling rigs, as well as mobile homes and 6,000 room hotels, and yet it is perfect for a one-person operation out of a van, trailer or box truck.

The power inverter converts 115-volt single-phase household power to 3-phase 220-volt power. This eliminates the start-up power surge required by a single speed motor.



- Truly portable at 125 lbs and only 22.5"w x 31.5"d x 55.5"h.
- One-person operation, in and out of service vehicle and up and down stairs.
- 2 speed soft start 1.5 HP motor w/3 phase inverter and direct drive backward inclined blower assembly.
- Filtration includes 1st stage 18" x 24" x 2" disposable pleated filter, 2nd stage 18" x24" flexible, permanent electrostatic air filter and 3rd
- 3rd Stage 18" x 24" x 6" certified HEPA filter, providing efficient filtration with maximum air flow even when dirty.
- 12 Inch diameter inlet pulls 5 inches of w.c. static pressure, and 2700 CFM air flow (independently tested by an AMCA certified lab with all filters installed).
- 12" rear, non-marking dolly wheels, 4" locking swivel non-marking casters up front.
- Steel reinforced, rotationally molded poly construction.
- Completely field tested by Air-Care, in our service operation.

TURBOJET MAX

Single Phase, Single Speed Motor

The TurboJet Max negative air machine is a compact workhorse for residential and light commercial duct cleaning. It's hard to believe a 20" wide cabinet can provide 2000 CFM at 5" static pressure, a full-size 12" inlet, 3-stage HEPA filtration and has a 3 year limited warranty.

FEATURES:

- Truly portable at 125 lbs and only 22.5"w x 31.5"d x 55.5"h.
- One-person operation, in and out of service vehicle and up and down stairs.
- 1.5 HP single speed/single phase motor and direct drive backward inclined blower assembly.

• Filtration includes 1st stage 18" \times 24" \times 2" disposable pleated bag filter, 2nd stage 18 1/4" \times 24 1/4" \times 1" permanent electrostatic air filter and 3rd stage 18" \times 24" \times 6" certified HEPA

filter, providing efficient filtration with maximum air flow even when dirty.

 12 Inch diameter inlet pulls 5 inches of w.c. Static pressure, and 2000 CFM air flow (Tested indepentedntly by an AMCA certified lab with all filters installed).

 12" rear, non-marking dolly wheels,
 4" locking swivel non-marking casters up front.

 Steel reinforced aluminum construction and powder-coated for a professional looking, Non-marking finish.

- Completely field tested by Air-Care, in our service operation.
- Purchase includes 3-year limited warranty.



.

TRUCKMASTER II Duct Cleaning System

The TRUCKMASTER is the most cost-effective way to turn your carpet cleaning truck-mount machine into a powerful air duct cleaning machine in just seconds.

The TRUCKMASTER is an air duct cleaning machine that connects to a truck-mounted carpet cleaner. It consists of 3 components:

The cableless Duct Cleaning Vacuum Hose/Motor/Brush assembly, which includes:

- The 35 ft hose (1.5" or 2") crushproof vacuum hose
- The out-runner, brush-less motor
- The electrical power cord and connector
- The "Flex-E-Bristle Brush" that adjusts for ducts from 4" to 12" in diameter.
- A "coil and carry" handle strap for easy transport
- · Dust-Damper attachment (see picture) -



The power and control box which consists of:

• 120 Volt to 12 Volt @ 25 Amp DC Power Supply

Electronic Control board with IR Remote Decoder, Relay and Control Interface

Control Panel with cooling fans, power and control switches and IR Remote Sensor

IR Remote hand-held transmitter

Remote hand-held transmitter

FG0193

.

COBRA 6

The new Cobra 6 Power Brush system from Air-Care is an advanced version of the workhorse that has been aggressively cleaning air ducts for 4 decades. It has Forward, Stop, and Reverse functions at the operators finger tips. Of course there are manual backup controls on the main motor box. The control panel has a variable speed motor dial that allows you to go from 0-1750 RPM. The motor has plenty of torque to run the standard 3/8" steel cored cable for most ducts, for use with the Dryer Duct Cable and 4" diameter brush or the Nest Claw. The cable mount is the same as all previous Cobra Cables, so you have backward compatibility as well as forward compatibility with other models of Air-Care. Cobras.

FEATURES:

- Variable Speed Control
- 35 Ft Long Cable/Brush Assembly
- Forward/Reverse
- Fully Functional Wireless Remote



Wireless Remote



DUCTMASTER III

The all new DuctMaster III cleans air ducts efficiently with the ease of the remote control. No cable to worry about. The Motor is in the brush head. It puts the power where you need it. It comes with all the accessories you need for dryer vent cleaning as well.

The DuctMaster brush motor itself, even under maximum load for extended periods will never reach the ignition point or melting point for plastic duct material, which must meet UL Class 2 standards for fire safety of 407 degrees F. This has been field tested for safe use in flexible ducts, duct board and metal duct.



VENT VAC III

The most <u>POWERFUL</u> portable HEPA Four Stage Filter vacuum on the market!

The Vent Vac III has proven to be a superior dryer vent cleaning system, vacuum, and negative air machine.

Use the Vent Vac for hand vacuuming of return and supply main ducts, pre-cleaning of supply return openings and cleaning up after duct cleaning job is complete.



Back Panel

BIO CART 10

Air-Care's Bio Cart is the standard by which portable containment carts are measured in the healthcare and clean room environments.

Never before have maintenance and construction dust and debris been so easy to contain in hospitals and other sterile environments during required access to the area above the ceilings.

The Bio Cart HEPA 10 provides containment for work on plumbing, electrical wiring, IT computer cables and fiber optic lines above ceiling while capturing contaminates and exhausting clean air into the room.

It is 32" wide x 73" long and only 77" high, the Air-Care Bio Cart 10 will easily fit through most doors and elevators, and the top expands up to 10 feet high to reach the majority of ceilings in commercial or industrial facilities.

There are swivel casters on all 4 corners for navigating virtually all hallways, elevators, and doorways. With swivels on each wheel, it can be rotated 360° within its own length, so one person can navigate it down long hallways, around corners and into elevators.

The Bio Cart 10 has a winch hook for easy transport between sites on a transport vehicle with a winch.

For safety and convenience, front and rear windows allow a single technician to locate the cart visually and avoid running into people, walls or equipment. Electrical outlets and indirect LED lights are located at the top of the cart for convenience. A spring loaded hinged pass-through window and a roller cable pass through with heavy bristle allows parts and tools to be given to a technician without opening the door and compromising the negative pressure condition inside the cart.

Bio Cart 10 has the ability to accept a three section extension ladder that fits within the cart for transporting.



HEPA replacement via exterior door.

FEATURES:

- HEPA filter
- Power Lift
- Locking Wheels
- Bellows extend 10ft
- 5 Year Warranty



Permanent and washable, electrostatic pre-filter and odor adsorbing carbon pad in air scrubber.



FG0185

.

BIO CART 13LT

Air-Care's Bio Cart is the standard by which portable containment carts are measured in the healthcare and clean room environments.

With swivels on each wheel, it can be rotated 360° allowing an individual the ease of navigation through virtually any hallway, elevator, and doorway.

The Bio Cart has a winch hook for easy transport between sites on a transport vehicle with a winch.

For safety and convenience, front and rear windows allow a single technician to locate the cart visually and avoid running into people, walls or equipment. Electrical outlets and indirect LED lights are located at the top of the cart for convenience. Because Air-Care has been in the service business since 1979, we know that adding the appropriate tools can make a job easier, so the Bio Cart has a three section extension ladder included that fits within the cart for transporting, and extends to 15 feet to reach well above the over 13 foot height of the bellows, plus a 3 drawer tool box is also included with the Bio Cart.

A spring loaded hinged pass-through window and a roller cable pass through with heavy bristle allows parts and tools to be given to a technician without opening the door and compromising the negative pressure condition inside the cart.

FEATURES:

- HEPA filter
- Power Lift
- Swivel Locking Wheels
- Bellows extend 13ft
- 5 Year Warranty
- Extension Ladder

10" Android tablet with proprietary Air-Care app allows wireless control of the Bio-Cart.





Mounted front view camera.



Built in, 3 stage extension ladder that can be transported through doors and elevators without being removed.

- UVC Lights
- 10" Android Tablet w/ app
- LED Exterior Lighting
- Mounted Front Camera
- LED In Use Light
- Extra Accessories

Swivel casters on all 4 corners allow one tech to maneuver through tight areas or long halls.



LED IN USE Sign



UVC/UVGI above the HEPA for an added measure of protection form biological contaminants



Bio Cart BER 122-9919 FG0182

LED Exterior lighting Blue & Amber



BIO ROOM / BIO AIR SCRUBBER

The Bio Room was designed to be used as an Anteroom or Antechamber. It is a Temporary Room Isolation Module for entryways, vestibules, lobbies, foyers, clean rooms or outer rooms into any area undergoing maintenance, renovation, or construction, containment, and emergency preparedness.

The Bio Room is the most advanced & innovative Abatement Door available on the market today. It easily installs in just a few minutes and Includes Premium Features that will help provide total room isolation & containment to mitigate patient risk from contaminants and dust.

The Bio Air Scrubber is an external negative air machine adapter that connects on either side of the Bio Room enclosure and provides adequate air filtration, dust collection and infection control as an added measure of protection.



VIS BRONZE Video Inspection Camera

FEATURES:

- Tablet Based, Easy-to-Use Camera
- WIFI Enabled Display
- Real Time Granular Video Controls
- Adjustable LED Lighting
- Show the video on a larger TV or monitor
- Synchronized view on Multiple Android Devices
- Proprietary Designed Air-Care Application
- All in one package: camera, screen and video recorder
- High Resolution, Wide Angle Color Camera
- Camera is smaller go places you couldn't go before. Only 1" in diameter
- Includes optional 3" diameter "teardrop" camera housing fixture for large diameter ducts

Large 10" screen for real-time full color picture

• 65 foot insertion cable

• 10 each 2-1/2' strong ABS plastic rods for 50' total insertion

Camera features 12 bright white LEDs

Water proof camera and cable

1 Year Limited Warranty



FG0198

MAX FOGGER II Dual Tank

Cleaning the interior of an air system is half the job. For a thorough job, the system should be decontaminated by fogging it with an EPA registered sanitizer. To retard biological growth a sealant should be added to prevent any residual debris from migrating into the occupied area. Add a deodorizer to help rid the system of odors.






Air Intake Filter Mounted on Bottom



Shoulder Carrying Strap

FEATURES:

- The Dual Tank Fogger has a six foot long hose, for Dispensing from two separate one gallon tanks.
- Adjustable Flow Nozzle 0-.115 GPM, 5-50 Microns
- Chemically-resistant Viton seals
- Fewer trips up and down ladders
- · Quickly switch between solutions as needed.
- · Spending less time refilling
- Superior performance



View from the top shows which side is Tank A & Tank B.

Max Fogger II Dual Tank 120V	FG0174
Max Fogger II Dual Tank 220V	FG0165

MAX FOGGER Single Tank

FEATURES:

- (1) One-Gallon Tanks
- Lock-In-Place Nozzle Head
- Holds settings when machine is shut off
- Instant shut off when Valve is released.
- 800 Watt High performance Motor
- Large, easy to fill reservoirs
- Stable base Won't tip
- Shoulder Strap
- 6 foot Hose
- 2 Spring-loaded valves, which only dispense product when depressed
- Motor Failure Safeguard (Secondary Check Valves to prevent back flow)
- Lighter than most standard foggers

Max Fogger Single Tank 120V FG0186

Max Fogger Single Tank 220V FG0187



HEPA BACKPACK Vacuum

This HEPA Back Pack Vacuum is lightweight at 11 lbs with 11.5 amps of power pulling an impressive 150 CFM of airflow and 100 inches of static lift. It has a 10 Qt. Capacity with a built in heat sensor. The top fill design has a twist off lid and 1 1/2" hose inlet to reduce clogging and allows the 10 Qt. Filter bag to completely fill without losing suction. Extra cushion shoulder straps and waist belt adjust for user comfort.

The On/Off switch box has built in fingertip control and Velcro's directly to the waist belt located next to your hip for added comfort. The durable molded housing will provide years of service in cleaning supply and return boxes, air handlers on roofs, in attics, basements and crawl spaces where a full size HEPA vacuum is impractical. The 1 ½" x 4" crushproof hose with swivel cuffs comes standard on the HEPA Back Pack Vacuum and the 1 ½" x 35" hose can be purchased separately. The 1½" hose cuff fits standard vacuum accessories.



INCLUDES:

1st stage bag filter, $5/pkg \cdot 3rd$ stage HEPA dome filter $\cdot 2$ piece aluminum wand $\cdot 8rush$, $3'' OD \cdot Crevice Tool \cdot Tool$, upholstery "T" $\cdot 100$, floor 14" wide $\cdot 100$ Hose 1.5" x 10" (Optional) $\cdot 100$ Bag mesh tool $\cdot 100$, deep reach orange $\cdot 100$ Tool, rug 14" wide $\cdot 100$, paddle rug

EQUIPMENT CABLES & HOSES

.

DRILL POWERED CABLE AND FOOT PEDAL

This is a 20 foot \times 5/16" drill powered cable that attaches to any standard 3/8" drill. At the other end of the cable is a 4" dryer vent cleaning brush so you can use the drill to turn the brush and reach deep into a dryer vent to clean the lint and other debris out.

The Air-Care drill holder and foot pedal kit makes cleaning dryer ducts easy. Just place your drill in the drill holder and secure it with the velcro straps. Plug in the foot pedal and plug the drill into the foot pedal. Turn your drill on by pushing the trigger and locking it in place. Use the foot pedal to power your drill while you feed the drill powered cable brush into the dryer duct.

Drill Not Included.



.

HOSES

FORWARD AND REVERSE AIR WHISK

FG0015

The Forward and Reverse Air Whisk provides the same versatile cleaning of all types of ducts as the Sidewinder, but is limited to 20 foot sections or less. A 20 foot stiff hose is used for insertion into the duct to be cleaned. The Air Whisk comes with a Forward and a Reverse duct ball for additional versatility. It requires a minimum 2 H.P. 125 P.S.I., 6 CFM compressor, but will also work with 175 PSI high performance compressors



SIDEWINDER

FG0030

The Sidewinder is the most versatile deaning tool for all sizes of ducts made of metal, flex, duct board, and even internally insulated types. It effectively dislodges debris and air scrubs the interior surfaces of any duct system. Two asymmetrical hole pattern balls were specially designed by Air-Care for the Sidewinder. Both designs provide effective cleaning of the top, sides and bottom of duct interiors and provide thrust to propel the Sidewinder deep into the duct and make operator controlled turns.



HOSES

AIR HOSE

FG0025

50' of 3/8" dia. high visibility PVC non-scuff hose with quick connectors. This heavy duty hose is rated at 300 PSI working pressure. The Sidewinder and other air-powered devices can be operated several hundred feet from the compressor. Long lengths of hose will act like auxiliary air storage and do not generally impair equipment performance

act like auxiliary air

LIGHT DUTY MYLAR HOSE

FG0012

12" light duty Mylar hose is clear vacuum hose with steel wire reinforcement.

INCLUDES:

12" x 12 1/2" hoses (2), Velcro straps





DUCT BALLS

FG0016

Use Air-Care's forward or reverse duct balls with a sidewinder or forward and reverse air whisk to clean the inside of air ducts with powered air. The sidewinder will connect with a reverse duct ball to propel itself through the air duct. The forward/reverse air whisk will connect with either a forward duct ball or a reverse duct ball to get the job done right and fast.



ACCESSORIES

PRODUCTS: Accessories

UVC MAX25 Whole House Air Purifying System

120 Volt, Whole House Air Purifier

This high efficiency, easy to install purifier uses a proprietary UVC (germicidal, 253 nanometer) lamp to destroy chemical & biological contaminants including chemical odors.

It is safe and effective in helping to eliminate airborne allergens, bacteria, viruses, mold, fungi, and more. It reduces odors by treating the air/furnace with UV sterilization all day.



Did you know?

UVC MAX 25 helps keep AC coils clean and can improve Indoor air quality throughout the home

PRODUCTS: Accessories

KOOL-WRAP

Protect you're A/C Condenser Coils from dust, dirt, and other contaminants. Prolong the life of your unit while saving money on your energy bills.

Kool-Wrap will help the A/C unit remain clean, thus increasing efficiency and reducing energy cots.

- Universal size makes the install easy
- Easy to clean
- Lifetime Warranty.



ELECTROSTATIC FILTERS, MACHINE REPLACEMENT FILTERS, & MORE

FILTER: Electrostatic Air Filter

.


SILVER 94%

SILVER FRAME filters are made from a single piece of roll - formed galvanized steel fastened together at one corner with a single rivet.

Available in 1 inch, 28 standard sizes

- Never Buy Another Filter
- One Air-Care Electrostatic Air Filter Reduces the Landfill by Hundreds of Disposals Filters
- High-Tech Permanent Filter
- EPA Registered Anti-microbial Material
- Traps particles down to less than 3 Microns
- Independent Lab Tested to ASHRAE Standards
- Up to 94% arrestance
- EASY to Clean
- EASY Installation
- Remove Pollen, Dust, Pet Dander, Bacteria, Cough and Sneeze Debris, Smoke, Mold Spores, Household Dust, Lint, Smog Particles, Candle Soot
- No Harmful Ozone Emissions
- Lifetime Warranty

94% ARRESTANCE





FILTERS: Filter Guide

FILTERS

HEPA FILTERS:



HEPA FILTER, 14X18X3.15 INCH

F004

- VENT VAC III
- DUCTMASTER



THIRD STAGE HEPA FILTER, 23 3/8 X 23 3/8 INCH

F0047

- 2300
- 3200B
- 4200
- 4200S



THIRD STAGE HEPA FILTER, 18X24X6 INCH

F0046

- 2012 & 2012V
- TURBOJET MAX I & II
- TURBOJET SUPER MAX
- SENTINEL AIR SCRUBBER




HEPA 500 FILTER (SINGLE OR 3 PACK)

FG0189 OR FG0190

• Dri-Eaz DefendAir HEPA 500 Scrubber

ELECTROSTATIC FILTERS:



SECOND STAGE 13X15X1 INCH ELECTRA SILVER FILTER

SADM0024

- VENT VAC III
- DUCTMASTER



SECOND STAGE FILTER, 18X24X1 INCH

F0017

- MINI
- TURBOJET 2000
- TURBOJET 2012
- TURBOJET 2012V

FILTERS: Filter Guide

FILTERS, CONT'D



SECOND STAGE ELECTROSTATIC FILTER, 24X24 INCH, 94%

F0049

- 2300
- 2900
- ALL 3200
- ALL 4200



SECOND STAGE FLEX FILTER, 17.5X23.75 INCH, 94%

F0044

- TURBOJET MAX I
- TURBOJET MAX II
- TURBOJET SUPERMAX



SECOND STAGE FILTER, 23.5X23.5X1 INCH

F0041

- 2300
- 2900
- ALL 3200
- 4200



SECOND STAGE PRE FILTER, 18X24X3/8

SAO0316

SENTINEL AIR SCRUBBER

OTHER FILTERS



FIRST STAGE FILTER, 24X24X8 INCH

ATJ0026

- 3200
- 3200B
- 4200
- 4200S



FIRST STAGE REPLACEMENT MATERIAL, WASHABLE

SATJ0049

- 3200
- 3200B
- 4200
- 4200S

_____2



FIRST STAGE FILTER, WASHABLE, 16X16X8

SATJ003

• 1912



FIRST STAGE SLIDE IN FILTER, WASHABLE, 18X24X6 INCH

SATJ002

• 2012 & 2012V



FIRST STAGE REPLACEMENT MATERIAL

SATJ0029

• 2012 & 2012V



FIRST STAGE DISPOSABLE FILTERS, PAPER (9 PACK)

F0035

• HEPA BACKPACK VERSION CE2297C



FIRST STAGE PRE FILTER, 18X24X2

SAO0315

SENTINEL AIR SCRUBBER



FIRST & SECOND DUAL STAGE FILTER, 15 GAL. BAG (5 PACK)

F0051

- VENT VAC 4X4
- DUCTMASTER

FILTERS: Filter Guide

OTHER FILTERS



FIRST STAGE PLEATED FILTER, 18X24X2 INCH

F0009

- TURBOJET MAX
- TURBOJET MAX II
- TURBOJET SUPERMAX



ACTIVATED CARBON, ODOR CONTROL PADS (3 PACK)

SAO0078

AIDS YOUR ELECTROSTATIC FILTERS



PELLON PRE-FILTER (12 PACK)

SAO0079

ALL TURBOJETS

CHEMICALS / CLEANERS AND DEODORIZERS

Chemicals, Cleaners and Deodorizers

THE RIGHT SOLUTIONS

Argueron Company of the Company of t

Ultra Odor Kill, Solid

A scientific break-through in clean air methodology. With a fresh scent! Ultra Odor Kill Solid sponges up unwanted air contaminants and acts like synthetic charcoal. Its magnetic properties attract and deactivate the harmful pollutants in the air.

Ultra Odor Kill, Liquid

This product is a high performance concentrate material, especially formulated to deal with problem odors. This product has a light fresh scent.



Coil Brite II

A high concentrate non-acid cleaner for aluminum coils and fins in heating and air conditioning systems. A light spray of this product on the coils or fins will give them a thorough cleaning. For heavily soiled coils, more than one application may be required with rinsing in between applications.



Soot Set

Soot set is a non-toxic and non-flammable formulation developed as an air duct adhesive based on the shrink properties of a unique water-soluble polymer.



Envirocon

Bacteriostat, Fungistat and Deodorizer. This product is EPA-registered for use in HVAC systems. EnviroCon is highly-effective in eliminating odor-causing microorganisms as well as those associated with mold, mildew and bacterial growth.



Dynamite

Heavy-duty super strength concentrate cleaner, specifically designed for cleaning vents, registers and air ducts.

Chemicals, Cleaners and Deodorizers

THE RIGHT SOLUTIONS



Smoke Odor Kill Solid

Captures and neutralizes odors associated with smoke, fire and water damage. Choose a case of 16 oz tubs or 80 oz mega tubs.



C.E.F.

The perfect product to keep Air-Care Electrostatic Air Filters clean, efficient and effective. An Electrostatic Filter is most effective when clean & free of films that can be left by soap, cooking, tobacco smoke or household spray products. C.E.F. comes in a 32oz spray bottle. C. E. F. is ready to use, no mixing required.



Smoke Odor Kill

Saturation spraying of smoke damaged surfaces and charred materials with Smoke Odor Kill solution detoxifies the fire damaged environment by inhibiting the evaporation of fire related gases.



UOK

Ultra Odor Kill Spray is a high-performance concentrate spray, specially formulated to deal with problem odors. UOK should be sprayed onto the Electrostatic Filter after cleaning. Once evaporated, the total effect is lending a fresh fragrance to stale air and killing lingering odors. This product has a light fresh scent.



Roxy Odor Neutralizer

Roxy Odor Neutralizer, nature's best kept secret! This product is nature's very own odor killing machine. Roxy Odor Neutralizer is a natural alumino-silicate earth mineral that absorbs odors. It can be used to freshen the air in refrigerators, closets, locker rooms, bathrooms, basements, shoes, homes, cars, RVs, boats and more.



AIR-CARE MIDDLE EAST

MOBILE: +971 50 542 2465 | TEL/FAX: +971 4 421 9510 EMAIL: sales@air-care.me | info@air-care.me

WWW.AIR-CARE.ME